

LIGHT SPEED

LS

لايت سبيد

Trading LLC

للتجارة ذ م م

## SHOES CATALOGUE - Version - 01

Your **GCC Agent** for Leading  
**European Professional Shoe** Brands.



Medical, Hospitality, Oil and Gas, Offshore, Logistics, IT,  
Defence.. doesn't matter which industry you work in...  
You will need us to protect your feet



# FOREWORD

## Precision Footwear for Professionals.

### Welcome to Light Speed Trading Co.

At Light Speed Trading Co., we are proud to present this curated catalogue of high-performance footwear, specially crafted to meet the demanding needs of the healthcare, hospitality, industrial, and service sectors. With safety, comfort, and design at the core of every pair, our collection reflects a dedication to quality and functionality—without ever compromising on style.

Each product featured in this catalogue represents our unwavering commitment to excellence. From sterilizable clogs for medical environments to elegant leather shoes for uniformed professionals, we offer a wide range of CE-certified and EN ISO-compliant footwear, sourced from trusted manufacturers across Europe and beyond.

We are proud to hold exclusive distribution rights for leading European brands such as WOCK, AprilClog, Toffeln, and Dian, along with our own in-house developed brand, Lian—ensuring a diverse and high-quality portfolio tailored to your professional needs.

This catalogue serves not merely as a product listing but as a showcase of the thoughtful engineering and ergonomic precision behind every shoe. Whether you're outfitting a clinical team, upgrading staff uniforms, or selecting protective wear for industrial use, Light Speed Trading Co. is your partner in walking the path of safety and innovation.

We sincerely thank you for your trust and look forward to continuing to serve your professional footwear needs with integrity and speed.

Warm regards,

**TEAM LIGHT SPEED TRADING CO.**

Sales | safety | style | speed

# OFFICIAL GCC DISTRIBUTOR FOR BELOW BRANDS

01



## ITALY, DENMARK

specializes in high-quality, sterilizable clogs designed for healthcare, food service, and cleanroom environments.



02



## PORTUGAL

specializes in innovative, ergonomic footwear designed for professionals in healthcare, hospitality, and industry sectors.



03



## PRC/INDIA

our in-house brand, specializing in high-performance kitchen footwear and elegantly crafted executive shoes for both men and women



04



## INDIA

specializes in handcrafted genuine leather footwear that blends quality, durability, and timeless style.



05



## UK

specializes in ergonomic, slip-resistant footwear designed to enhance comfort and reduce fatigue for healthcare professionals.



06



## SPAIN

specializes in comfortable, safe, and health-focused work footwear for industries like healthcare and hospitality



07



## BELGIUM

specializes in certified personal protective equipment (PPE), including footwear and workwear, for various industries.



08



## PRC

specializes in durable and comfortable work and safety footwear, designed to meet the protective needs of various industries.



# Table Of Content



## Clog Collection

Page  
**07**



## Uniform Collection

Page  
**14**



## Sports Collection

Page  
**19**



## Security Collection

Page  
**22**



## Safety Shoes Collection

Page  
**24**



# CLOG COLLECTION



(ITALY, DENMARK)

## ACFE 8 OB

### A E SRA ESD



Standard	EN ISO 20347: 2012
Slip Resistant	SRA
Ventilation	No Holes
Anti Static	ESD
Safety Toe Cap	N/A
Material	Polymeric
Maintainence	Washable at 90 °C. Autoclave at 134 °C.
Weight	720 gr per pair (avg.)
Size Range	EU 35-47   UK 2.5-12   US 3.5-13



## ASFE 8 SB

### A E SRA ESD



Standard	EN ISO 20345: 2011
Slip Resistant	SRA
Ventilation	No Holes
Anti Static	ESD
Safety Toe Cap	High-quality safety shoe with safety cap.
Material	Polymeric
Maintainence	Washable at 90 °C. Autoclave at 134 °C.
Weight	720 gr per pair (avg.)
Size Range	EU 34-47   UK 2-12   US 3-13



## ACFE 2 OB

### A E SRC ESD



Standard	EN ISO 20347: 2012
Slip Resistant	SRA
Ventilation	No Holes
Anti Static	ESD
Safety Toe Cap	N/A
Material	Polymeric
Maintainence	Washable at 90 °C. Autoclave at 134 °C.
Weight	760 gr per pair (avg.)
Size Range	EU 34-47   UK 2-12   US 3-13



## ASFE 2 SB

### A E SRC ESD



Standard	EN ISO 20345: 2011
Slip Resistant	SRA
Ventilation	No Holes
Anti Static	ESD
Safety Toe Cap	High-quality safety shoe with safety cap.
Material	Polymeric
Maintainence	Washable at 90 °C. Autoclave at 134 °C.
Weight	760 gr per pair (avg.)
Size Range	EU 34-47   UK 2-12   US 3-13



## ACFE 10 B

### SRA ESD



Standard	EN ISO 20347: 2024   CE Marked
Slip Resistant	SRA
Ventilation	No Holes
Anti Static	ESD
Safety Toe Cap	N/A
Material	Polymeric
Maintainence	Washable at 90 °C. Autoclave at 134 °C.
Weight	760 gr per pair (avg.)
Size Range	EU 34-47   UK 2-12   US 3-13



# WOCK® (PORTUGAL)

## BLOC OB

## ESD SRC

## CLOG OB

## AS E SRA



Standard	CE Certified EN ISO 20347:2012 SATRA TM 158:1992
Slip Resistant	SRC
Anti Static	ESD
Material	100% recycled high-quality Polymeric
Features	Antistatic insert Heel-strap Ventilation holes
Maintainence	Washable at 90 °C. Autoclave at 134 °C. Chemically and UV sterilizable.
Weight	800 gr per pair (avg.)
Size Range	EU 34/35-46/47   UK 2.5-12   US 3-13



Standard	CE Regulation (EU) 2016/425
Slip Resistant	SRA
Anti Static	AS
Material	EVA + Thermoplastic SEBS
Features	Antistatic insert Heel-strap Removable insole Ventilation holes - both on clog and insole
Maintainence	Washable at 90 °C. Autoclave at 134 °C. Chemically and UV sterilizable.
Weight	800 gr per pair (avg.)
Size Range	EU 35/36 - 47/48   UK 3.5-11   US 4-12



## EVERLITE OPEN OB

## AS SRA

## EVERLITE CLOSED OB

## AS SRA



Standard	CE Regulation 2016/425 SATRA TM 144:2011 SATRA TM 158:1992
Slip Resistant	SRA
Anti Static	AS
Material	EVA + Thermoplastic SEBS
Features	Antistatic insert Removable insole Ventilation holes - both on clog and insole
Maintainence	Washable up to 50°C
Weight	500 gr per pair (avg.)
Size Range	EU 35-47   UK 2.5-12   US 3.5-13



Standard	CE Regulation 2016/425 SATRA TM 144:2011 SATRA TM 158:1992
Slip Resistant	SRA
Anti Static	AS
Material	EVA + Thermoplastic SEBS
Features	Antistatic insert Removable insole Absence of Ventilation holes
Maintainence	Washable at 50°C
Weight	500 gr per pair (avg.)
Size Range	EU 35-47   UK 2.5-12   US 3.5-13



## EVERLIGHT+ O4

## A E SRC

## NUBE OB

## A E SRC



Standard	CE Regulation (EU) 2016/425 EN ISO 20347:2012 SATRA TM 158:1992
Slip Resistant	Certified SRC
Anti Static	A
Material	EVA + Thermoplastic SEBS
Features	Evergrip™ rubber track Antistatic device Removable insole Ventilation perforations - in the insole and shoe
Maintainence	Washable at 50 °C Chemically and UV sterilizable
Weight	500 gr per pair (avg.)
Size Range	EU 35-47   UK 2.5-12   US 3.5-13



Standard	EN ISO 20347:2012
Slip Resistant	SRC
Anti Static	A
Material	EVA + Thermoplastic SEBS
Features	Spillage protection device Evergrip™ rubber track Antistatic insert
Maintainence	Washable at 50 °C Chemically and UV sterilizable
Weight	480 gr per pair (avg.)
Size Range	EU 35-46   UK 2.5-11   US 3.5-12



**SECURLITE S4**

**E A FO SRC**

**WAYLITE OB**

**ESD SRC**



BLK



WHT



Standard	EN ISO 20345:2011
Slip Resistant	SRC
Anti Static	A
Safety Toe Cap	Composite 200 Jules
Material	EVA + Thermoplastic SEBS
Features	Antistatic insert Safety toe cap Evergrip™ rubber track Fuel oil resistant
Maintenance	Washable at 50 °C
Weight	680 gr per pair (avg.)
Size Range	EU 36-46   UK 3.5-11   US 4-12



GRN



NVY BUL



BLK



WHT



MED BUL



Standard	EN ISO 20347 2012
Slip Resistant	SRC
Anti Static	A
Material	EVA + Thermoplastic SEBS
Features	Antistatic insert Strap Ventilation holes
Maintenance	Washable at 50 °C Chemically Sterilizable
Weight	400 gr per pair (avg.)
Size Range	EU 36-46   UK 3.5-11   US 4-12





(PRC)

**SKYLAR (S072) OB**

**SRA**



BLK



Standard	CE Stnd. EN ISO 20347
Slip Resistant	SRA
Anti Static	N/A
Material	EVA
Features	Heel Strap
	Absence of Ventilation Holes
Maintainence	Washable at 30 °C
Weight	500 gr per pair (avg.)
Size Range	EU 36/37-46/47   UK 3.5-11   US 4-12

**DELLA (S076B) OB**

**SRA**



BLK



Standard	CE Stnd. EN ISO 20347
Slip Resistant	SRA
Anti Static	N/A
Material	EVA
Features	Enclosed Design
	Absence of Ventilation Holes
Maintainence	Washable at 30 °C
Weight	550 gr per pair (avg.)
Size Range	EU 36-46   UK 3.5-11   US 4-12

**TROY (S077A)**

**SB SRA**



BLK



Standard	CE Stnd. EN ISO 20345
Slip Resistant	SRA
Anti Static	Yes
Safety Toe Cap	Aluminum Toe Cap
Material	EVA
Features	Energy Absorption in the Heel
	Absence of Ventilation Holes
Maintainence	Washable at 30 °C
Weight	600 gr per pair (avg.)
Size Range	EU 39-45   UK 6-10.5   US 7-11.5

**NEVIS (S106)**

**SB SRA**



BLK



Standard	CE Stnd. EN ISO 20345
Slip Resistant	SRA
Anti Static	-
Safety Toe Cap	Aluminum Toe Cap
Material	EVA
Features	Resistant to Workplace Hazards
	Absence of Ventilation Holes
Maintainence	Washable at 30 °C
Weight	550 gr per pair (avg.)
Size Range	EU 35-46   UK .5-11   US 3.5-12

**OTIS (S127)**

**SB SRA**



BLK



Standard	CE Stnd. EN ISO 20345
Slip Resistant	SRA
Anti Static	-
Safety Toe Cap	Steel Toe Cap
Material	EVA
Features	Heel Strap
	Absence of Ventilation Holes
Maintainence	Washable at 30 °C
Weight	550 gr per pair (avg.)
Size Range	EU 36/37-46/47   UK 3.5-11   US 4-12

**IMPULSE (S108)**

**SB SRA**



BLK



Standard	CE Stnd. EN ISO 20345
Slip Resistant	SRA
Anti Static	-
Safety Toe Cap	Steel Toe Cap
Material	EVA
Features	Removable Insole
	Absence of Ventilation Holes
Maintainence	Washable at 30 °C
Weight	550 gr per pair (avg.)
Size Range	EU 38-44   UK 5-9.5   US 6-10.5

**EUROSOFT (S077)**

**SB SRA**



BLK



Standard	CE Stnd. EN ISO 20347
Slip Resistant	SRA
Anti Static	-
Safety Toe Cap	N/A
Material	EVA
Features	Enclosed Design
	Absence of Ventilation Holes
Maintainence	Washable at 30 °C
Weight	450 gr per pair (avg.)
Size Range	EU 39-45   UK 6-10.5   US 7-11.5

**BEN(S089)**

**SB SRA**



BLK



Standard	CE Stnd. EN ISO 20345
Slip Resistant	SRA
Anti Static	-
Safety Toe Cap	Steel Toe Cap
Material	EVA, Rubber with PU lining
Features	Removable Insole,
	High ankle support
	Absence of Ventilation Holes
Maintainence	Washable at 30 °C
Weight	550 gr per pair (avg.)
Size Range	EU 38-44   UK 5-9.5   US 6-10.5

**ROLLER (S173) SB**

**SRA**



BLK



WHT

GRN

Standard	CE Stnd. EN ISO 20347
Slip Resistant	SRA
Anti Static	YES
Material	EVA
Features	Heel Strap
	Closed Vents
Maintainence	Washable at 30 °C
Weight	450 gr per pair (avg.)
Size Range	EU 37-44   UK 4-9.5   US 5-10.5



**FINDER (BC-DX697) SB**

**SRA**



BRN



BLK

WHT

Standard	CE Stnd. EN ISO 20347
Slip Resistant	SRA
Anti Static	YES
Material	EVA
Features	Heel Strap
	Closed Vents
	Non-Slip Rubber Outsole
Maintainence	Washable at 30 °C
Weight	550 gr per pair (avg.)
Size Range	EU 36-46   UK 3.5-11   US 4-12



# Toffeln® (UK)

## EZIKLOG OB

### A E SRC



Standard	EN ISO 20347: 2012
Slip Resistant	SRC
Anti Static	A
Material	EVA
Features	Antistatic insert Heel-strap Ventilation holes (865 style only)
Maintainence	Washable at 40 °C
Weight	500 gr per pair (avg.)
Size Range	EU 36-47   UK 3.5-12   US 4-13

## EZIPROTEKTA

### AS SRC



Standard	EN ISO 20345:2012
Slip Resistant	SRC
Anti Static	AS
Safety Toe Cap	Composite 200 Jules
Material	Microfibre + EVA
Features	Closed-In Heel Heel-strap Ventilation holes (845 style only)
Maintainence	Washable at 40°C
Weight	520 gr per pair (avg.)
Size Range	EU 36-47   UK 3.5-12   US 4-13

## ULTRALITE CLOG

### AS SRC



Standard	EN ISO 20347: 2012
Slip Resistant	SRC
Anti Static	AS
Material	Microfibre + EVA
Features	Antistatic insert Heel-strap Absence of Ventilation holes
Maintainence	Washable at 40 °C
Weight	524 gr per pair (avg.)
Size Range	EU 36-47   UK 3.5-12   US 4-13

## KLIMAFLEX

### AS SR



Standard	EN ISO 20347:2012
Slip Resistant	SR
Anti Static	AS
Material	Polyurethane
Features	Nature-Form Footbed Absence of Ventilation holes
Maintainence	Washable at 85°C
Weight	700 gr per pair (avg.)
Size Range	EU 36-46   UK 3.5-11   US 4-12

# Dian

## (SPAIN)

## JAVEA OB


### E A FO SR



Standard	CE Certificate Standard EN-ISO-20347:2022 UE 425/2016
Slip Resistant	SR
Anti Static	A
Material	D'COVER PLUS® OEKO-TEX® technical microfiber + D'DRY® textile material
Features	Insole: D'WALK® bicomponent foam with textile material Outsole: MAXREACT® bicomponent polymeric material OB - footwear meets basic requirements for professional use E - Energy absorption in the heel FO - Sole resistance to hydrocarbons
Maintainence	Washable up to 40°C.
Weight	-
Size Range	EU 35-47   UK 2.5-12   US 3.5-13

## TEIDE SB

### HI E WPA A FO SR



Standard	CE Certificate Standard EN-ISO-20347:2022 UE 425/2016
Slip Resistant	SR
Anti Static	A
Safety Toe Cap	Composite 200 Jules
Material	D'COVER® OEKO-TEX® technical microfiber + D'DRY® textile material
Features	Insole: D'WALK® bicomponent foam with textile material Outsole: MAXREACT® bicomponent polymeric material HI - Footwear with Heat- insulated outsole reduces temperature increase WPA - Resistant to water penetration and absorption E - Energy absorption in the heel FO - Sole resistance to hydrocarbons
Maintainence	Washable up to 40°C
Weight	850 gr per pair (avg.)
Size Range	EU 35-47   UK 2.5-12   US 3.5-13



# UNIFORM COLLECTION



(PRC)

## KEIRA (L601)



BLK

Standard	CE Stnd. EN ISO 20347 OB
Slip Resistant	SR
Anti Static	-
Material	Genuine Leather + Rubber
Toe	Round Head
Heel	2.5 cm
Lining	Leather
Weight	220 gr per pair (avg.)
Size Range	EU 32-44   UK 13(Kids) - 9.5   US 1-10.5

## DIVA (W5950)



BLK



BRN

Standard	CE Stnd. EN ISO 20347 OB
Slip Resistant	SR
Anti Static	-
Material	Genuine Leather + Rubber
Toe	Round Head
Heel	4.0 cm
Lining	Leather
Weight	250 gr per pair (avg.)
Size Range	EU 32-44   UK 13(Kids) - 9.5   US 1-10.5

## LUIK (603)



BLK

Standard	CE Stnd. EN ISO 20347 OB
Slip Resistant	SR
Anti Static	-
Material	Genuine Leather + Rubber
Toe	Round Head
Heel	4.5 cm
Lining	Leather
Weight	240 gr per pair (avg.)
Size Range	EU 32-44   UK 2 - 9.5   US 3-10.5

## BLAIR (1961-5)



BLK

Standard	CE Stnd. EN ISO 20347
Slip Resistant	SR
Anti Static	-
Material	Genuine Leather + Rubber
Toe	Pointed Head
Heel	5.0 cm
Lining	Leather
Weight	250 gr per pair (avg.)
Size Range	EU 32-44   UK 2 - 9.5   US 3-10.5

## NOEL (TKW0025)



BLK

Standard	CE Stnd. EN ISO 20347
Slip Resistant	SR
Anti Static	-
Material	Genuine Leather + Rubber
Toe	Pointed Head
Heel	5.5 cm
Lining	Leather
Weight	250 gr per pair (avg.)
Size Range	EU 32-44   UK 2 - 9.5   US 3-10.5

## ANJA (W6803)



BLK

Standard	CE Stnd. EN ISO 20347
Slip Resistant	SR
Anti Static	-
Material	Genuine Leather
Toe	Round Head
Heel	1.5 cm
Lining	Leather
Weight	250 gr per pair (avg.)
Size Range	EU 32-44   UK 2 - 9.5   US 3-10.5



## OXFORD (45852)



BLK

Slip Resistant	SR
Anti Static	-
Material	Premium Genuine leather
Toe	Pointed Head
Lining	Breathable
Footbed	Cushioned
Weight	-
Size Range	EU: 39-45   UK: 5-11   US: 6-12

## ARGES (45854)



BLK

Slip Resistant	SR
Anti Static	-
Material	Genuine leather
Toe	Pointed Head
Lining	Breathable
Footbed	Cushioned
Weight	-
Size Range	EU: 39-45   UK: 5-11   US: 6-12

**HERMES (93662)**



BLK

Slip Resistant	SR
Anti Static	-
Material	Genuine leather
Toe	Pointed Head
Lining	Breathable
Footbed	Cushioned
Weight	-
Size Range	EU: 39-45   UK: 5-11   US: 6-12

**MILAN (910707)**



BLK

Slip Resistant	SR
Anti Static	-
Material	Genuine leather
Toe	Pointed Head
Lining	Breathable
Footbed	Cushioned
Weight	-
Size Range	EU: 39-45   UK: 5-11   US: 6-12

**VEGAS (997707)**



BLK

Slip Resistant	SR
Anti Static	-
Material	Genuine leather
Toe	Wide Head
Lining	Breathable
Footbed	Cushioned
Weight	-
Size Range	EU: 39-45   UK: 5-11   US: 6-12

**FOXY (915212)**



BLK

Slip Resistant	SR
Anti Static	-
Material	Premium Genuine leather
Toe	Round Head
Lining	Breathable
Footbed	Cushioned
Weight	-
Size Range	EU: 39-45   UK: 5-11   US: 6-12



**INDIA**

**PHOENIX 2911**



BLK



BR

Slip Resistant	Yes
Anti Static	Yes
Material	Milled Leather
Toe	Round Head
Lining	DD Leather
Footbed	Memory Cushion
Weight	-
Size Range	EU: 39-45   UK: 5-11   US: 6-12

**LOVIS PG-64**



BLK

Slip Resistant	Yes
Anti Static	Yes
Material	Milled Leather
Toe	Pointed Head
Lining	DD Leather
Footbed	Memory Cushion
Weight	-
Size Range	EU: 39-45   UK: 5-11   US: 6-12

**MARLIN S-8072**



BLK



TAN

Slip Resistant	Yes
Anti Static	Yes
Material	Milled Leather
Toe	Round Head
Lining	DD Leather
Footbed	Memory Cushion
Weight	-
Size Range	EU: 39-45   UK: 5-11   US: 6-12



# Toffeln® (UK)

## SMART SOLE OB



BLK



Standard	EN ISO 20347:2012
Slip Resistant	SR
Anti Static	AS
Material	Soft Microfiber with Neoprene
	Gusset
Lining	Stretch Neoprene Lining
Footbed	Mesh Fabric Outsole
Weight	550 gr per pair (avg.)
Size Range	EU 36-47   UK 3.5-12   US 4-13

## AS SR

## SMART SOLE OB



BLK



Standard	EN ISO 20347:2012
Slip Resistant	SR
Anti Static	AS
Material	Soft Microfiber with Neoprene
	Gusset
Lining	Stretch Neoprene Lining
Footbed	Mesh Fabric Outsole
Weight	450 gr per pair (avg.)
Size Range	EU 36-43   UK 3-9   US 4-11.5

# Dian

## (SPAIN)

## CONGRESO O2



BLK



Standard	CE Certified, ANTIbacterial ISO 16187
	Standard EN-ISO-20347:2012 UE 425/2016
Slip Resistant	SRA
Anti Static	A
Material	D'COVER PLUS® Micro leather
Features	O2 - Closed back, antistatic, heel absorption, lug sole, water-resistant
	SRA - Slip-resistant on tiles with soapy water
	FO - Sole resistant to hydrocarbons
Lining	D'DRY® Microfiber
Footbed	Microfiber over thermoformed polyurethane foam
Weight	-
Size Range	EU 39-46   UK 6-11   US 7-12

## A FO SRA

## GOURMET O2



BLK



Standard	CE Certified, ANTIbacterial ISO 16187
	Standard EN-ISO-20347:2012 UE 425/2016
Slip Resistant	SRA
Anti Static	A
Material	D'COVER PLUS® Micro leather
Features	O2 - O2 - Closed back, antistatic, heel absorption, lug sole, water-resistant
	SRA - Slip-resistant on tiles with soapy water
	FO - Sole resistant to hydrocarbons
Lining	D'DRY® Microfiber
Footbed	Microfiber over polyurethane foam
Weight	-
Size Range	EU 39-46   UK 6-11   US 7-12

## A FO SRA

## FRANCIA O2



BLK



Standard	CE Certified
	Standard EN-ISO-20347:2012 UE 425/2016
Slip Resistant	SRC
Anti Static	A
Material	D'COVER PLUS® Microfiber
Features	O2 - Closed back, antistatic, heel absorption, lug sole, water-resistant
	SRC - (SRA+SRB) Slip-resistant on tiles (soapy water) and steel (glycerin)
Lining	D'DRY® Microfiber
Footbed	Microfiber over polyurethane foam
Weight	800 gr per pair (avg.)
Size Range	EU 39-46   UK 6-11   US 7-12

## A SRC

## SALON O2



BLK



Standard	CE Certified
	Standard EN-ISO-20347:2012 UE 425/2016
Slip Resistant	SRA
Anti Static	A
Material	D'COVER PLUS® Micro leather
Features	O2 - O2 - Closed back, antistatic, heel absorption, lug sole, water-resistant
	SRC - (SRA+SRB) Slip-resistant on tiles (soapy water) and steel (glycerin)
	FO - Sole resistant to hydrocarbons
Lining	D'DRY® Microfiber
Footbed	Microfiber over antibacterial foam
Weight	450 gr per pair (avg.)
Size Range	EU 35-42   UK 2.5-8   US 3.5-9

## A FO SRC



**CARINNE** **OB**

**ESD A E SRC**



FUC



LBL

WHT



LGL

Standard	ASTM F2892:2018 - EN ISO 20347:2012
Slip Resistant	Oxygrip SRC
Anti Static	ESD
Material	Synthetic Leather (Vegan Lorica®)Pointed Head
Lining	Mesh
Footbed	SJ Foam
Weight	500 gr per pair (avg.)
Size Range	EU 35-42   UK 3.0-8.0   US 5.5-10.5



**LINA** **OB**

**ESD A E SRC**



MUL



LGL

LBL



WHT

Standard	ASTM F2892:2018 - EN ISO 20347:2012
Slip Resistant	Oxygrip SRC
Anti Static	ESD
Material	Synthetic Leather (Vegan Lorica®)
Lining	Mesh
Footbed	SJ Foam
Weight	500 gr per pair (avg.)
Size Range	EU 35-42   UK 3.0-8.0   US 5.5-10.5



**ANNO**  
安诺

**MR2201**



WHT

Standard	-
Slip Resistant	YES
Anti Static	-
Material	Superfiber + Cowhide & Microfiber
Lining	EVA
Footbed	EVA small foam
Weight	250 gr per pair (avg.)
Size Range	EU 34-45   UK 1.5-13.5   US 2-11.5



**LR2409**



WHT

Standard	-
Slip Resistant	YES
Anti Static	-
Material	Mesh + Cowhide & Microfiber
Lining	Pigskin
Footbed	Foam
Weight	250 gr per pair (avg.)
Size Range	EU 33-45   UK 1-13.5   US 1.5-11.5





# SPORTS COLLECTION

## WOCK® (PORTUGAL)

### REBLAST

SR



Standard	CE Regulation (EU) 2016/425
Slip Resistant	SR
Anti Static	-
Material	Sterilizable Polymer (EVA-based) / Textile
Features	Removable insole Laces
Lining	Mesh
Footbed	PU (Polyurethane) Foam
Weight	500 gr per pair (avg.)
Size Range	EU 36-46   UK 3.5-11   US 4-12



### BREELIGHT

SR



Standard	CE Regulation (EU) 2016/425
Slip Resistant	SR
Anti Static	-
Material	Sterilizable Polymer (EVA-based) / Textile
Features	Removable insole Laces
Lining	Textile
Footbed	-
Weight	500 gr per pair (avg.)
Size Range	EU 36-46   UK 3.5-11   US 4-12



### ASTROPRO

SR



Standard	CE Regulation (EU) 2016/425
Slip Resistant	SR
Anti Static	-
Material	Hydrophobic Upper
Features	Removable insole Laces
Lining	Breathable Textile
Footbed	Cushioned Insole
Weight	500 gr per pair (avg.)
Size Range	EU 36-46   UK 3.5-11   US 4-12



### ACTIONPRO

SR



Standard	CE Regulation (EU) 2016/425
Slip Resistant	SR
Anti Static	-
Material	Hydrophobic Upper
Features	Removable insole Laces
Lining	Breathable Textile
Footbed	Cushioned Insole
Weight	500 gr per pair (avg.)
Size Range	EU 36-46   UK 3.5-11   US 4-12



## Toffeln® (UK)

### SMART SOLE BREEZE

SRC



Standard	EN ISO 20347:2012
Slip Resistant	SRC
Anti Static	-
Material	Soft Microfibre With Neoprene gusset
Lining	Stretch Neoprene
Footbed	Mesh Fabric Outsole
Weight	580 gr per pair (avg.)
Size Range	EU 36-47   UK 3.5-12   US 4-13



### SMART SOLE BREEZE

SRC



Standard	EN ISO 20347:2012
Slip Resistant	SRC
Anti Static	-
Material	Washable Microfibre
Lining	Breathable Textile
Footbed	Contoured Insole
Weight	550 gr per pair (avg.)
Size Range	EU 36-47   UK 3.5-12   US 4-13



*Dian*

(SPAIN)

**ALICANTE O1**


**A FO SR**



Standard	CE Certificate
	Standard EN-ISO-20347:2022
	UE 425/2016
Slip Resistant	SR
Anti Static	A
Material	D'COVER DRY® Breathable textile
Features	O1 - Footwear with professional standards, closed back, antistatic, and heel energy absorption.
	SR - Slip-resistant on ceramic tiles with glycerin.
	FO - Sole resistance to hydrocarbons
Lining	D'DRY® Breathable textile
Footbed	D'WALK® Padded foam
Weight	650 gr per pair (avg.)
Size Range	EU 35-47   UK 2.5-12   US 3.5-13

**CALPE O2**

**A FO SR**



Standard	ISO 16187
	Standard EN-ISO-20347:2022
	UE 425/2016
Slip Resistant	SR
Anti Static	A
Material	D'COVER DRY® Breathable fabric
Features	O1 - Footwear with basic professional standards, closed back, antistatic, heel energy absorption, water-resistant instep, and slip resistance on tiles with NaLS.
	SR - Slip-resistant on ceramic tiles with glycerin.
	FO - Sole resistance to hydrocarbons
Lining	D'DRY® Padded textile
Footbed	Cushioned foam
Weight	670 gr per pair (avg.)
Size Range	EU 35-48   UK 2.5-13   US 3.5-14

**CALP ESTAMPADE O2**

**A FO SR**



Standard	CE Certified, ANTibacterial
	ISO 16187
	Standard EN-ISO-20347:2022
	UE 425/2016.
Slip Resistant	SR
Anti Static	A
Material	D'COVER DRY® Breathable fabric
Features	O1 -Footwear with basic professional standards, closed back, antistatic, heel energy absorption, water-resistant instep, and slip resistance on tiles with NaLS.
	SR - Slip-resistant on ceramic tiles with glycerin.
	FO - Sole resistance to hydrocarbons
Lining	Cushioned foam
Footbed	D'WALK® Padded foam
Weight	670 gr per pair (avg.)
Size Range	EU 35-48   UK 2.5-13   US 3.5-14

**CASUAL O1**


**A CI SR**



Standard	CE Certified
	Standard EN-ISO-20347: 2022
	EU 425/2016
Slip Resistant	SR
Anti Static	A
Material	D'COVER PLUS® Microfiber
Features	O1 - Footwear with basic professional standards, closed back, antistatic, heel energy absorption, water-resistant instep, and slip resistance on tiles with Nals.
	SR - Slip-resistant on ceramic tiles with glycerin.
	CI - Cold-resistant sole insulation
Lining	D'DRY® Padded textile
Lining	D'DRY® Microfiber
Footbed	Microfiber over polyurethane foam
Weight	450 gr per pair (avg.)
Size Range	EU 35-46   UK 2.5-11   US 3-12

**ATLANTA O1**

**A SR**



Standard	CE Certified
	Standard EN-ISO-20347:2022 EU 425/2016
Slip Resistant	SR
Anti Static	A
Material	D'COVER DRY® Breathable textile
Features	O1 - Footwear with basic professional standards, closed back, antistatic, heel energy absorption, water-resistant instep, and slip resistance on tiles with Nals.
	SR - Slip-resistant on ceramic tiles with glycerin.
Lining	D'DRY® Breathable textile
Footbed	D'WALK® Padded foam
Weight	-
Size Range	EU 35-47   UK 2.5-12   US 3-13





# SECURITY COLLECTION

*Dian*

(SPAIN)

## AITANA S3S



BLK



Standard	CE certified
	EN-ISO-20345:2022 EU
	425/2016
Sole	D'LIGHT® Flexible polyurethane
Toecap	Composite, 200J-resistant
Midsole	Puncture-resistant textile
Lining	D'DRY® Breathable textile
Footbed	Padded foam
Category	S3S SR HI CI FO
Size Range	EU 35-47   UK 2.5-12   US 3.5-13

## HI CI FO SR



BLK



Standard	CE certified
	EN-ISO-20345:2022 EU
	425/2016
Sole	D'LIGHT® Ultra-light, flexible polyurethane
Toecap	Composite, 200J-resistant
Midsole	Puncture-resistant textile
Lining	D'DRY® Breathable textile
Footbed	Padded bicomponent foam
Category	S3S SR HI CI FO
Size Range	EU 35-47   UK 2.5-12   US 3.5-13

## CAIRO S3S

## HI CI FO SR



BLK



WHT



Standard	CE certified
	EN-ISO-20345:2022 EU
	425/2016
Sole	D'LIGHT® Flexible polyurethane
Toecap	Composite, 200J-resistant
Midsole	Puncture-resistant textile
Lining	D'DRY® Breathable textile
Footbed	Padded foam
Category	S3S SR HI CI FO
Size Range	EU 35-47   UK 2.5-12   US 3.5-13

## HI CI FO SR




BLK



Standard	CE certified, EN-20345 standard
Sole	polyurethane
Toecap	Composite, 200J-resistant
Midsole	Textile
Lining	Microfiber
Footbed	Polyurethane
Category	S3
Size Range	EU 35-47   UK 2.5-12   US 3.5-13

## OLYMPUS S3





## SAFETY SHOES COLLECTION

**Toffeln® (UK)**

### V6411.01 V12 OXEN

**S3 SRC**



BLK



Standard	EN ISO 20345:2011
Sole	Stability Traction System (STS) rugged sole
Toecap	Lightweight composite toe cap
Midsole	Flexible anti-penetration composite midsole
Lining	Padded moisture-wicking
Category	S3 SRC
Size Range	EU 36-47   UK 3-13   US 4-14

### V1915 V12 (WOMEN)

**S3 HI HRO ESD SRC**



BLK



Standard	EN ISO 20345:2011
Sole	Interelligent Grip System (IGS) Heat resistant
Toecap	Lightweight composite toe cap
Midsole	Flexible anti-penetration composite midsole
Lining	Padded moisture-wicking
Category	S3 HI HRO ESD SRC
Size Range	EU 34-42   UK 2-8   US 3-9

### V6400.01 V12 OTTER


**S3 SRC**



BLK



Standard	EN ISO 20345:2011
Sole	Stability Traction System (STS) rugged sole
Toecap	Lightweight composite toe cap
Midsole	Flexible anti-penetration composite midsole
Lining	Padded moisture-wicking
Category	S3 SRC, Metal Free Construction
Size Range	EU 36-47   UK 3-13   US 4-14



Codes	Meaning
<b>OB</b>	Occupational footwear with Basic requirements only (without toecap protection)
<b>O1</b>	Occupational footwear (no safety toe cap) includes basic + additional requirements for certain workplace conditions
<b>O2</b>	Occupational footwear (no safety toe cap) Meets all O1 requirements plus water resistance
<b>O4</b>	Occupational footwear (no protective toe cap) with Waterproof polymer/rubber boots with basic + additional safety features
<b>S4</b>	Safety footwear (with toe cap protection – tested to withstand 200 Joules) with Polymeric/rubber waterproof boots with additional safety features
<b>SB</b>	Safety Basic
<b>S3S</b>	All the standard features with extra Slip resistance
<b>A</b>	Antistatic footwear
<b>ESD</b>	Electrostatic Discharge control
<b>C</b>	Conductive footwear
<b>HI</b>	Heat Insulation of the sole
<b>CI</b>	Cold Insulation of the sole
<b>SR</b>	Slip resistance according to the updated method (ceramic + lubricant)
<b>SRA</b>	Slip resistant (Suitable for indoor environments like kitchens, healthcare, hospitality)
<b>SRB</b>	Slip resistant (Better for industrial or greasy/oily floors)
<b>SRC</b>	Slip resistant (Best all-rounder for diverse surfaces – construction, manufacturing, logistics, food industry)
<b>FO</b>	Fuel Oil Resistance







**"PROFESSIONALS  
@  
WORK"**

# **LIGHT SPEED TRADING**

**Tel: +974 4418 8282 / +974 5995 8282 Fax: +974 4418 8383**



**[www.lightspeedtc.com](http://www.lightspeedtc.com)**



**[sales@lightspeedtc.com](mailto:sales@lightspeedtc.com)**